

Device name & type	Image version	password		details
Cisco ASA Firewall	asav-9-17-1-7 asav-9-16-2-3 asav9-16-1-28 asav-9-1-5-16-1	no enable passwd, hit enter assign new password		
Cisco ACS	5.8.1	Cli: admin Root123 Web: ACSAdmin Root123		
Cisco ISE3	ISE3			
Cisco CSR 1000 Router SD-WAN	csr1000vng-ucmk9.16.12.4a-sdwan	admin admin	Prompt for new password	
Cisco CSR 1000 Router	CSR 1000vng-universal k9.16.06.04.Everest.tar.gz			
Cisco ISR	isrvucmk9.16.12.5-sdwan			
Cisco C9800-CL WLC	c9800cl-9.17.08.01			
Linux OS	Ubuntu Desktop 20.04	Test123		
Linux OS	Linux tinycore-6.4			
Check point Firewall	R80.10	admin Test123		
Viptela SDWAN vBond vEdge vManage vSmart	Version 20.7.1	admin Admin Prompt a new password for admin user		Use this command to use vedge as a vbond: vnond x.x.x.x local
VMware ESXi 7	7	root VMware1!		
Mikrotik Router	6.47	admin no passwd, hit enter		

PaloAlto Firewall	paloalto-10.1.0	admin admin	Prompt new 6 complexity character password	Wait 15 minutes to load completely
PaloAlto Panorama	panorama-10.1.0			
Arista Switch	vEOS 4.21.1	admin no passwd, hit enter		
Aruba Switch	OS-CX Virtual Switch 10.07			
Aruba Switch	OS-CX Simulation Software VMC 8.8.0.1	admin no passwd, hit enter		
Cisco 8000 Router	Catalyst 8000v-17.06.02			
Cisco XR Router	IOSXRv 6.1.3	Prompt a new username & password		
Cisco XR Router	IOSXRv 90007.1.1	Prompt a new password for admin user		
Nexus Switch	NX-OS 7.3.0	admin admin		
Nexus Switch	NX-OS 90009.3.1	Prompt a new password for admin user		
Nexus Switch	NX-OS 9000/9500 v10.2.1	Prompt a new password for admin user		
Nexus Switch	NX-OS v9000/9300 v10.2.1	Prompt a new password for admin user		
Nexus Switch	titanium-5.1.2	admin admin		
Nexus Switch	titanium-final.7.3.0.D1.1	admin admin		
Cisco Fire Power	FTD v6.3.0-83	admin Admin123		Wait 15 minutes to load completely

Cisco Fire Power	FMC v6.3.0-83	admin Admin123		Wait 15 minutes to load completely
Cisco Fire Power	NGIPS 6.3.0-83	admin Admin123		
Cisco Prime	PI-VA 3.9.0.0.219	Setup initial configuration		WARNING, Cisco Prime
				3.9 and 3.8 are very heavy nodes, after install it will reach 40Gb HDD space !!!
Ucspe	Ucspe 4.1	ucspe ucspe		
Cisco IOSv L3 (VIRL)	vios-adventerprisek9-m.SPA.159-3.M4			
	IOSv15.9(3)M22020			
Cisco IOSv L2 (VIRL)	viosl2-adventerprisek9-m.ssa.high_iron_20200929			
	IOSvL215.2_62019			
Cisco IOL L3	IOU L3 15.2 L3_ADVENTERPRISEK9_M_15.4_2T.bin L3_ADVENTERPRISEK9_MS_15.5_2T.bin			
Cisco IOL L2	IOU L2 157-3 L2_ADVENTERPRISEK9_M_15.2_IRON.bin L2_ADVENTERPRISEK9_M_15.1.bin			
Cisco IPS	7.1	cisco ciscoips123		

		prompt new password		
vWLC	8.7.102	Configure new user and password		
vWAAS	200-6.2.3b	admin default		
HPE VSR	HPEVSR10017.1 0.R0204P01			
Juniper	Vsrx 21.3R1.9	Initial username is root, no password.		Wait 15 minutes to load completely
Juniper	Juniper vMXvFP 21.2R1.1	root no password		
Juniper	Juniperv MXvCP 21.2R1.10	root no password		
Juniper	Juniper vQFXRE 17.4.0R1	root no password hit enter		
Juniper	Juniper vQFXPFE 17.4R1	root pass is : no		Change console port from vnc to telnet
Windows Server	2019	Administrator Test123		
Windows	10	user Test123		
FortiGate Firewall	7.0.1	admin no password prompt new password	forced to change password	
FortiGate Analyzer	7.0.1	admin no password prompt new password	forced to change password	
FortiGate Firewall	v6 Build1723	admin no password	forced to change password	
Forti Web	FWB v600 build 0727	admin no password prompt new password		
Forti Manager	FMG 6.2Build2122	admin no password		Add 2048 MB memory